

Volume 10, Number 1
June 2001

METEORITE NEWSLETTER

JAPANESE COLLECTION OF ANTARCTIC METEORITES

EDITED BY
HIDEYASU KOJIMA

Antarctic Meteorite Research Center
National Institute of Polar Research (NIPR)
Tokyo

CONTENTS

Introduction	2
Requirements and Procedures for Research using the Japanese NIPR Antarctic Meteorite Collection	8
Request form	10
Classification	12
Description	59

Sample Request Deadline

Sample requests that are received by the curator before **July 10, 2001**, will be reviewed by the Committee on Antarctic Meteorite Research (CAMR) in mid July. Requests that are received after the July 10 deadline may be delayed for review until the CAMR in **January, 2002**.

All sample requests should made in writing to:

Dr. Hideyasu Kojima
Meteorite Curator
Antarctic Meteorite Research Center
National Institute of Polar Research (NIPR)
9-10, Kaga 1-chome, Itabashi-ku, Tokyo 173-8515
Japan
FAX: 81-3-3962-5711
E-mail: curator@nipr.ac.jp

Available information such as NIPR Sample Allocation Policies and Request Form is also shown in following web site.

<http://yamato.nipr.ac.jp/AMRC/index.html>

INTRODUCTION

Classification and Description of Antarctic Meteorites

The Japanese collection of Antarctic meteorites increases in number up to about 16500 as of 2001. These meteorites are continuously classified by staff of Antarctic Meteorite Research Center, NIPR.

Followings are the members for the classification of this volume:

Macroscopic description of meteorite;

Kojima H. and Kiso F.

Microscopic description and classification of chondrites;

Kimura M. and Kojima H.

Microscopic description and classification of achondrites and stony irons;

Yamaguchi A.

The Meteorite Classification Committee decided to present the classification and description as a table (see Table 2). In order to do this, the Committee made a manual format (Table 1), by which each member carries out the microscopic description and classification by checking all of the articles. Table 1 consists of GENERAL DESCRIPTION (articles 1-1 to 1-7), MACROSCOPIC DESCRIPTION (2-1 to 2-8), MINERAL COMPOSITIONS (3-1 to 3-3), and MICROSCOPIC DESCRIPTION (4-1 to 11). Most of articles in the mineral composition and microscopic description were set up mainly for classification of chondrites, because about 90% of Antarctic meteorites are chondrites. Therefore, these articles in Table 1 are not enough for classification of achondrites and stony-irons, and detailed description for these meteorites will be presented as comments in article 11 (Table 3).

This newsletter is the fourth report including the classification of 229 Asuka-87 meteorites larger than 10g in weight.

Table 1. The manual format for classification and description of Antarctic meteorites.
Select one or two heads for each article in MACROSCOPIC and MICROSCOPIC DESCRIPTIONS.

Articles	with or without heads
1 GENERAL DESCRIPTION	
1-1	Meteorite name
1-2	Group and type
1-3	Weight of meteorite in grams
1-4	Dimension in cm
1-5	No. of thin section used for classification
1-6	Tentative pairing due to the field occurrence
1-7	Bulk chemistry; Is there the major element chemical composition?
2 MACROSCOPIC DESCRIPTION (observation by naked eyes)	
2-1	Degree of fragmentation; what is the degree? 1: complete, 2: half, 3: fragment
2-2	Shape of meteorite; how is the shape? 1: rounded, 2: subrounded, 3: angular, 4: other
2-3	Fusion crust; how much is the fusion crust in a real percent of the surface? 1: complete(>80%), 2: half(80-20%), 3: less(<20%), 4: free
2-4	Evaporite; is it recognized on the meteorite surface? 1: free, 2: slight, 3: remarkable
2-5	Fracturing index; what is the degree? 1: A(free), 2: A/B, 3: B(moderate), 4: B/C, 5: C(remarkable)
2-6	Interior structure; how is the structure? 1: massive, 2: porous, 3: breccia, 4: other
2-7	Interior color; what is the color? 1: black, 2: brown, 3: brassy, 4: green, 5: gray, 6: other
2-8	Xenolithic clast; is it recognized? 1: free, 2: rare, 3: many
3 MINERAL COMPOSITION (using an EPMA)	
3-1	Average composition of olivine in fayalite mole% and the range
3-2	Average composition of low-Ca pyroxene in ferrosilite mole% and the range
3-3	Average composition of plagioclase in anorthite mole% and the range
4 MICROSCOPIC DESCRIPTION (observation under microscope)	
MODE AND CHONDRULE SIZE	
4-1	Fine-grained matrix in volume %; the matrix in chondrites is defined to be aggregates of minerals smaller than several microns across. Then, chondrule fragments and isolated mineral fragments, which are larger than about 10 microns across, are excluded. 1: free, 2: <20%, 3: 20-50%, 4: 50-80%, 5: >80%, 6: pass (select 1 for equilibrated chondrites, 6 for achondrites and stony-irons)

- 4-2 Chondrule average diameter in mm; apparent sizes of a few tens of chondrules were measured for unequilibrated chondrites with petrologic types 2 and 3.
 1: free, 2: <0.4mm, 3: 0.4-0.9mm, 4: >0.9mm, 5: pass
 (select "pass" for equilibrated chondrites, achondrites and stony-irons, and "free" for CI group)
- 4-3 Modal ratios of metal and sulfide were estimated under a microscope; metal is taken as a total of metal and limonite.
 1: metal is more, by a factor of 2 or more, than sulfide.
 2: metal is nearly equal to sulfide.
 3: metal is less, by a factor of 2 or more, than sulfide.
 4: magnetite is identified.
 5: chromite or ilmenite is the major opaque mineral.
 6: graphite is identified.
 7: no opaque mineral.
-

CRYSTALLINITY OF CHONDRULE GROUNDMASS

- 5-1 Metamorphic plagioclase (or maskelynite) grains, larger than several microns across, is identified under a microscope; igneous plagioclase which crystallized directly from chondrule residual melts is excluded.
 1: not present, 2: present but minor, 3: common, 4: pass (select "pass" for achondrites and stony-irons)
- 5-2 Crystallinity of chondrule groundmass; for the case of chondrites, the following number corresponds roughly to the petrologic types.
 1: free from chondrule. (CI group)
 2: phyllosilicate is identified in chondrule groundmass. (CM group etc.)
 3: clean glass, as well as devitrified or cryptocrystalline groundmass, is observed in chondrule groundmass. Except shock-induced glass and fusion-crust glass. (petrologic type 3)
 4: no glass, but most are devitrified or cryptocrystalline. (petrologic type 4)
 5: recrystallized groundmass, including metamorphic plagioclase larger than several microns across, as well as devitrified and cryptocrystalline ones, is observed. (petrologic type 4)
 6: recrystallized groundmass, commonly including plagioclase, is common, but devitrified and cryptocrystalline ones are not observed. (petrologic type 6)
 7: chondrules outlines disappear by recrystallization. (petrologic type 7)
 8: pass for achondrites and stony-irons.
-

SHOCK FEATURE

- 6-1 Olivine extinction; how many large olivine grains show undulatory extinction under crossed Nicols in grain number %.
 1: olivine-free,
 2: <20%,
 3: >20%,
 4: mosaic extinction of olivine, as well as undulatory one
- 6-2 Crack and opaque vein;
 1: free,
 2: crack, thinner than a few microns, is observed,
 3: opaque vein, wider than a few microns, is observed,
 4: brecciated vein, including many mineral and/or rock fragments, is observed

- 6-3 Shock-darkened and shock-melt pockets, or partially melt glass;
 1: free,
 2: shock-darkened pocket is observed,
 3: shock-melt pocket is observed,
 4: meteorite experienced partial melting, and glass due to the melting occurs locally but not as pockets.
- 6-4 Degree of shock;
 1: slight, corresponding to 1 or 2 for the terms 6-1, 6-2, and 6-3.
 2: moderate, corresponding to 3 for the term 6-1 or 6-2, or both.
 3: heavy, corresponding to 4 for the term 6-1, 4 for the term 6-2, or 3 or 4 for the term 6-3.

BRECCIA

- 7 1: non-breccia, including chondrites with brecciated veins.
 2: monomict breccia
 3: fine-grained massive breccia consisting mainly of fine-grained silicates of several to a few tens of microns, often including metal-sulfide spherules.
 4: polymict breccia, including clasts of different groups or petrologic types.

INCLUSION AND XENOLITH

- 8 Ca- and Al-rich inclusion (CAI), amoeboid olivine inclusion (AOI), or xenolith is observed or not.
 1: not,
 2: CAI or AOI is observed,
 3: xenolith is observed

TERRESTRIAL WEATHERING

- 9-1 Limonite veins are observed or not.
 1: not,
 2: minor; vein narrower than 50 microns is observed,
 3: remarkable; vein wider than 50 microns is observed
- 9-2 Staining is estimated by the proportion of yellow or brown area in percents.
 1: free, 2: slight(<20%), 3: remarkable(>20%)
- 9-3 Weathering Degree is estimated by the method of Ikeda and Kojima (1991, Proceedings Of NIPR Symp. Antarc. Meteor. No. 4, 307-318) for chondrites; volume ratios of limonite to metal in a metal-limonite grain are measured for large grains under a microscope, and they are averaged to obtain the weathering index.
 A: <7.5%, A/B, B: 7.5%-35%, B/C, C: >35%, pass ("pass" is for meteorites free of metal grains)

FUSION CRUST

- 10 Fusion crust is observed under a microscope or not. If any, the average width of crust (fusion-glass zone + opacitized zone) is measured.
 1: free, 2: thin(<0.5mm), 3: thick(>0.5mm)

NOTEWORTHY DESCRIPTIONS

- 11 Comments noteworthy to describe are given in sentences, and they are summarized in Table 3.
-

Table 2. Classification of Antarctic Meteorites from Asuka-87001 to Asuka-87XXXX.

Meteorite	1-1	87001	87002	87003	87004	87005
Group, Type	4-4					
	5-3					
Weight (g)	1-3					
Dimension (cm)	1-4					
Thin section	1-5					
Tent. Pairing	1-6	no				
Bulk Comp.	1-7	no				
Fragmentation	2-1					
Shape	2-2					
Fusion	2-3					
Evaporite	2-4					
Fracturing	2-5					
Structure	2-6					
Color	2-7					
Xenolith	2-8					
Ol (Fa Mole%)	3-1					
Range		()			
Low-Ca Pyx	3-2					
Range		()			
Pl	3-3					
Range						
Matrix	4-1	1				
Chond. Size	4-2	5				
Metal, Sulf.	4-3	1				
Pl	5-1	1				
Groundmass	5-2	4				
Ol-extinct.	6-1	2				
Crack, Vein	6-2	1				
Shock pocket	6-3	1				
Shock Degree	6-4	1				
Breccia	7	1				
CAI, Xenolith	8	1				
Limonite	9-1	3				
Staining	9-2	3				
Weath. Index	9-3	B				
Fusion Crust	10	1				
Comments	11	no				

Table 3. Comments for Article 11 (noteworthy descriptions)

Meteorite	Comments
-----------	----------

A-87XXX:

A-87YYY:

A-87ZZZ:

REQUIREMENTS AND PROCEDURES FOR RESEARCH USING THE JAPANESE NIPR ANTARCTIC METEORITE COLLECTION

Requests for research samples are welcome from all qualified scientists. In general, requests are reviewed and considered by the Committee on Antarctic Meteorite Research (CAMR) of the National Institute of Polar Research (NIPR), which meets one to two times each year. Consortium-type sample requests may also be submitted. After a request is approved, samples are sent to the researcher from the Curator of Antarctic Meteorites, NIPR.

NIPR SAMPLE ALLOCATION POLICIES

I. Basic guidelines for allocation of meteorites at NIPR

1. All samples are provided on a loan basis, and remain the property of NIPR.
2. The pristine mass of the meteorite other than small rare meteorites after allocation must be at least 2/3 of the original mass. Pristine mass is defined as that portion of a specimen which has never been allocated, after initial polished thin section (PTS) preparation.
3. The pristine mass of small rare meteorites (less than 50 grams) after allocation must be at least 80% of the original mass. Rare meteorites are defined as meteorites other than type 4-6 ordinary chondrites, including rare type portions of large meteorites.
4. Allocations of any rare meteorite should generally be limited to samples less than 1 gram.
5. The term of the PTS loan will be for no more than 12 months. PTS should be returned promptly upon completion of the proposed research period.
6. PTS of any small meteorite (less than 5 grams) will not be, in general, loaned out but will be available for on-site use by scientists visiting NIPR.
7. Allocations will not be allowed until the meteorite has been announced and typed (classified) in a published issue of Meteorite News or an NIPR catalog.
8. Allocation from any meteorite that is under consortium study will generally not be permitted.
9. Investigators are strongly encouraged to limit requests to not more than 10 samples per request/review cycle. Higher numbers of samples may be approved, but in general, only 10 samples will be eligible for expeditious allocation processing. Investigators who request more than 10 samples should designate a subset for high-priority processing. A request for a chip for analysis plus a corresponding thin section for petrologic study of the same meteorite or clast will generally be counted as a single request, in relation to the 10-sample limit.
10. Investigators are encouraged to use NIPR sample request forms. However, all sample requests that fully comply with the following guidelines will receive careful consideration. Requests should consist of three parts:
 - a. Background information: title of the research project; for the requesting scientist, his or her name, affiliation and position (e.g., University of Paris, Professor), and office address, including phone and preferably FAX and email; and for any coinvestigators, their name, affiliation, and position.
 - b. A text section, explaining the general nature and purpose of the proposed research, and including details on the justification for each individual sample request.
 - c. A summary table, with columns for each of the following information categories:
 - (1) Specimen name (e.g., Yamato-86032, or Y-86032).
 - (2) Preferred weight (the weight of sample you believe is justified for the proposed research).

- (3) Minimum weight (estimated weight below which the proposed research would not be worth pursuing; in general, approved allocations will be at or very near the *preferred weight*).
- (4) An instruction regarding preferred sampling site (e.g., fusion crust, inner part, outer part, central, etc.).
- (5) Sample form (e.g., single chip, cube, plate, fragments, many grains, powder, PTS, etc.).

II. Guidelines for expedited allocation by the Curator of the NIPR

The following guidelines set forth the conditions under which the Curator of Antarctic Meteorites at NIPR can allocate samples without review and approval by the CAMR. If the Curator has any doubt about the allocation of any sample, the request should be referred to CAMR.

1. Allocation of polished thin sections except for destructive analysis
The original mass of the meteorite must be larger than 5 grams for type 4-6 ordinary chondrites or over 10 grams for all other meteorites.
2. Allocation of samples in a form other than PTS
 - a. The total available pristine mass of the meteorite at NIPR must be larger than 20 grams for type 4-6 ordinary chondrites or over 50 grams for all other meteorites.
 - b. Allocations of up to 5 grams or 1 weight % of the original mass of type 4-6 ordinary chondrites (whichever is less) can be made by the Curator.

SAMPLE DISTRIBUTION

1. Sublease (transfer) of sample is not permitted, except to persons listed as coinvestigators on the written request for samples. If sublease to a person not originally listed as coinvestigator becomes necessary, a new written request must be submitted to the Curator of Antarctic Meteorites.
2. Promptly upon completion of the proposed research, unused or remaining meteorite samples must be returned to the Curator of Antarctic Meteorites, NIPR.

REPORTING RESULTS

1. Research results should be reported promptly, preferably by presentation at the annual NIPR Symposium on Antarctic Meteorites, and/or full-length publication in the Proceedings of the NIPR Symposium on Antarctic Meteorites. The Symposium is held once each year, customarily in early June. Papers submitted to the Proceedings are evaluated by the Editorial Committee of the NIPR, guided by two reviews for each paper.
2. For the reference of the Curator of Antarctic Meteorites, investigators are requested to send three copies of each full-length paper published on allocated samples, and one copy of each abstract about them, to the Curator. Reference copies of articles and abstracts published through NIPR are not necessary.

Mail requests to:

Dr. Hideyasu Kojima
Curator, Antarctic Meteorite Research Center
National Institute of Polar Research (NIPR)
9-10, Kaga 1-chome, Itabashi-ku, Tokyo 173-8515, Japan
Phone: (81) 03-3962-2938, FAX: (81) 03-3962-5711
E-mail: curator@nipr.ac.jp

NIPR Research Program for Antarctic Meteorites

Research project:

Date:

Period of the project (months):

Principal investigator

Name:

Signature _____

Affiliation & position:

Office address:

Phone: ext.

FAX:

E-mail:

Coinvestigator(s)

Name(s):

Affiliation(s) & position(s):

Description of research plan and justification for sample request:

(continue)

	specimen name	preferred weight	minimum weight	sampling instructions	sample form
	(e.g., Y-86032)	(e.g., 0.25 g)	(e.g., 0.1 g)	(e.g., interior)	(e.g., chip(s))
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					

received

received

1	Meteorite	1-1	A-87008	A-87010	A-87012	A-87016
	Group & Type	1-2	L4	L6	H5	H4
	Weight (gr.)	1-3	1071.86	2066.86	20.75	26.22
	Dimension (cm)	1-4	15.5x7.5x5.5	13.9x9.9x8.1	3.1x2.4x1.4	2.6x2.1x2.1
	Thin Section No.	1-5	51-1	91-1	51-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	1	1	1
	Shape	2-2	3	2	2	3
	Fusion Crust	2-3	3	3	4	3
	Evaporite	2-4	1	3	1	1
	Fracturing	2-5	C	B	A/B	B
	Structure	2-6	4	1	1	1
	Color	2-7	5	2	2	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	23.1	24.6	18.7	18.4
	Ol. Range		22.0-23.6	23.8-25.7	18.1-19.4	17.7-18.9
	Low-Ca Pyx., Fs	3-2	19.3	21.1	16.4	16.0
	Pyx. Range		17.3-20.5	20.0-26.0	15.9-16.9	14.9-17.2
	Plagioclase, An	3-3		11.7		
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	2	2	1	1
	Meta. Pl	5-1	1	2	2	1
	Chondrule Gdm	5-2	4	5	5	4
	Ol-extinct.	6-1	2	3	3	3
	Crack, Vein	6-2	1	3	3	3
	Shock Pocket	6-3	1	3	2	2
	Shock Degree	6-4	1	2	2	2
	Breccia	7	1	1	1	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	1	2	2	2
	Staining	9-2	3	3	3	3
	Weath. Index	9-3	B	B	B	B/C
	Fusion Crust	10	1	1	1	1
	Comments	11	no	no	no	no

1-1	A-87017	A-87019	A-87020	A-87021	A-87025	A-87027
1-2	H4	H4	H4	H4	H4	H4
1-3	35.02	28.70	31.08	17.52	53.51	21.14
1-4	3.2x2.3x2.1	3.6x2.3x2.3	3.5x3.3x1.9	2.6x2.1x1.6	3.9x3.6x2.3	3.0x2.5x1.5
1-5	51-1	51-1	51-1	51-1	51-1	51-1
1-6						
1-7						
2-1	1	3	1	2	1	1
2-2	3	3	3	3	1	2
2-3	3	3	3	3	3	3
2-4	1	1	1	1	1	1
2-5	B	A/B	B	A/B	B/C	A
2-6	1	1	1	1	1	1
2-7	2	2	2	2	2	2
2-8	1	1	1	1	1	1
3-1	18.6	18.6	18.4	18.3	18.3	18.8
	17.8-19.4	17.7-20.0	16.9-19.3	17.7-19.0	17.7-18.9	18.1-20.0
3-2	16.1	16.0	15.9	16.0	16.1	16.2
	15.2-17.4	15.7-16.9	14.6-17.1	15.1-18.0	15.4-16.7	15.5-16.8
3-3						
4-1	1	1	1	1	1	1
4-2	5	5	5	5	5	5
4-3	1	1	1	1	1	1
5-1	1	1	1	1	1	1
5-2	4	4	4	4	4	4
6-1	2	3	3	3	2	2
6-2	2	3	3	3	1	3
6-3	1	1	1	2	1	2
6-4	1	2	2	2	1	2
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9-1	2	2	2	2	1	2
9-2	3	3	3	3	2	3
9-3	B	B	B	B	C	B
10	1	1	1	1	1	1
11	no	no	no	no	no	no

1	Meteorite	1-1	A-87029	A-87031	A-87034	A-87035	A-87053
	Group & Type	1-2	L4	Ure	L4	L4	L6
	Weight (gr.)	1-3	5443.50	15.79	19064.47	132.16	91.74
	Dimension (cm)	1-4	21x14x13	2.1x2.0x1.3	31x25x14	5.5x4.4x1.4	4.9x3.7x2.8
	Thin Section No.	1-5	91-1	51-2	91-1	51-1	51-1
	Tent. Pairing	1-6					
	Bulk Comp.	1-7					
2	Fragmentation	2-1	1	3	1	3	1
	Shape	2-2	2	3	3	3	2
	Fusion Crust	2-3	3	3	2	3	2
	Evaporite	2-4	1	1	3	1	1
	Fracturing	2-5	C	B	C	C	B
	Structure	2-6	3	3	3	3	1
	Color	2-7	5	2	5	5	2
	Xenolith	2-8	1	1	1	2	1
3	Olivine, Fa	3-1	23.1	13.5	22.9	23.4	24.4
	Ol. Range		22.0-27.6	1.4-20.8	22.0-24.8	22.6-24.6	23.7-25.4
	Low-Ca Pyx., Fs	3-2	19.3	17.3	19.3	19.5	20.7
	Pyx. Range		18.4-20.2	16.7-17.9	18.3-20.9	18.4-21.5	19.5-23.7
	Plagioclase, An	3-3					
	Pl. Range						
4	Matrix	4-1	1	6	1	1	1
	Chond. Size	4-2	5	5	5	5	5
	Metal, Sulfide	4-3	2	6	2	2	2
	Meta. Pl	5-1	1	4	1	1	3
	Chondrule Gdm	5-2	4	8	4	4	6
	Ol-extinct.	6-1	2	2	2	2	3
	Crack, Vein	6-2	1	2	1	1	3
	Shock Pocket	6-3	1	1	1	1	3
	Shock Degree	6-4	1	2	1	1	2
	Breccia	7	1	1	1	1	1
	CAI, Xenolith	8	1	1	1	1	1
	Limonite	9-1	1	3	1	1	2
	Staining	9-2	3	3	3	3	3
	Weath. Index	9-3	B	B/C	B	B	B
	Fusion Crust	10	1	1	1	1	1
	Comments	11	no	yes	no	no	no

1-1	A-87054	A-87055	A-87056	A-87074	A-87075	A-87077
1-2	H5	L6	H5	L4	L6	L6
1-3	35.59	29.61	10.88	847.07	71.87	53.24
1-4	3.8x3.1x2.2	3.6x2.8x1.3	2.1x1.9x1.3	10.6x8.2x6.1	4.8x4.6x2.8	4.0x3.6x2.5
1-5	51-1	51-1	51-1	51-1	51-1	51-1
1-6						
1-7						
2-1	3	2	1	1	2	1
2-2	3	2	2	1	2	2
2-3	2	3	2	1	2	2
2-4	1	1	1	3	1	1
2-5	B	A/B	A/B	B	B	A/B
2-6	1	1	1	1	1	1
2-7	2	2	2	5	3	2
2-8	1	1	1	1	1	1
3-1	18.7	24.3	18.1	24.8	24.7	24.2
	17.4-19.4	22.6-32.3	17.3-19.0	24.0-25.4	24.0-25.2	22.2-26.0
3-2	16.2	20.4	15.8	20.7	20.6	20.0
	14.8-17.1	19.5-22.7	15.2-16.7	19.8-21.7	19.7-21.4	19.5-20.8
3-3	13.2					
4-1	1	1	1	1	1	1
4-2	5	5	5	5	5	5
4-3	1	2	1	1	1	2
5-1	2	3	2	1	3	3
5-2	5	6	5	4	6	6
6-1	2	4	2	2	2	3
6-2	1	4	1	1	1	2
6-3	1	3	1	1	1	1
6-4	1	3	1	1	1	2
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9-1	2	1	2	1	1	2
9-2	3	3	3	3	3	3
9-3	C	B	B	B	B	B
10	1	1	1	1	2	1
11	no	no	no	no	no	no

1	Meteorite	1-1	A-87078	A-87079	A-87082	A-87084
	Group & Type	1-2	H4	H5	L6	L6
	Weight (gr.)	1-3	31.80	22.94	15.01	69.63
	Dimension (cm)	1-4	4.0x3.0x1.1	2.5x2.5x2.3	3.4x1.8x1.4	4.6x3.8x2.9
	Thin Section No.	1-5	51-1	51-1	51-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	1	3	2
	Shape	2-2	2	2	3	2
	Fusion Crust	2-3	3	3	2	2
	Evaporite	2-4	1	1	1	1
	Fracturing	2-5	A/B	A/B	A	A/B
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	2	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	17.8	17.8	23.7	24.0
	Ol. Range		16.9-18.5	17.3-18.7	22.9-25.0	22.5-24.8
	Low-Ca Pyx., Fs	3-2	15.6	15.9	20.4	20.5
	Pyx. Range		14.6-16.6	14.7-17.3	19.2-22.2	19.8-21.8
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	1	1	2	2
	Meta. Pl	5-1	1	2	3	3
	Chondrule Gdm	5-2	4	5	6	6
	Ol-extinct.	6-1	3	3	4	4
	Crack, Vein	6-2	3	1	4	4
	Shock Pocket	6-3	1	1	4	3
	Shock Degree	6-4	2	2	3	3
	Breccia	7	1	1	1	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	2	2	2
	Staining	9-2	3	3	3	3
	Weath. Index	9-3	B	B	B	B
	Fusion Crust	10	1	1	1	1
	Comments	11	no	no	no	no

1-1	A-87086	A-87087	A-87088	A-87090	A-87092
1-2	L6	L6	L6	L6	L6
1-3	17.27	24.08	56.46	13.56	13.90
1-4	4.2x2.2x1.5	3.7x3.2x1.7	3.8x3.8x2.1	3.0x2.1x1.3	2.4x2.3x1.5
1-5	51-1	51-1	51-1	51-1	51-1
1-6					
1-7					
2-1	3	2	1	3	3
2-2	2	2	1	3	3
2-3	2	2	3	3	3
2-4	1	1	1	1	1
2-5	A/B	A	A/B	A	A
2-6	1	1	1	1	1
2-7	2	2	2	2	2
2-8	1	1	1	1	1
3-1	23.8	23.9	24.6	24.1	24.2
	23.0-24.6	23.0-26.2	23.6-25.4	23.4-25.9	23.4-25.0
3-2	20.5	20.0	20.8	19.8	20.3
	19.6-21.8	19.5-21.1	19.4-22.3	17.6-20.8	19.4-21.3
3-3					
4-1	1	1	1	1	1
4-2	5	5	5	5	5
4-3	2	2	2	2	2
5-1	3	3	3	3	3
5-2	6	6	6	6	6
6-1	3	3	3	4	3
6-2	4	4	1	4	4
6-3	3	3	2	4	3
6-4	3	3	2	3	4
7	1	1	1	1	1
8	1	1	1	1	1
9-1	2	2	2	2	2
9-2	3	3	3	3	3
9-3	B	B	C	B	B
10	1	1	1	1	1
11	no	no	no	Ringwoodite in vein	Ringwoodite in vein

1	Meteorite	1-1	A-87095	A-87097	A-87098
	Group & Type	1-2	L6	L6	L3
	Weight (gr.)	1-3	11.22	16.82	10.75
	Dimension (cm)	1-4	3.3x2.0x1.4	3.5x1.9x1.5	2.5x1.9x1.3
	Thin Section No.	1-5	51-1	51-1	51-1
	Tent. Pairing	1-6			
	Bulk Comp.	1-7			
2	Fragmentation	2-1	3	3	1
	Shape	2-2	3	3	1
	Fusion Crust	2-3	3	3	3
	Evaporite	2-4	1	1	1
	Fracturing	2-5	A/B	A	A
	Structure	2-6	1	1	1
	Color	2-7	2	2	2
	Xenolith	2-8	1	1	1
3	Olivine, Fa	3-1	24.2	24.3	21.7
	Ol. Range		23.1-26.0	23.1-25.2	20.9-23.9
	Low-Ca Pyx., Fs	3-2	20.7	20.4	15.6
	Pyx. Range		19.4-22.0	19.0-22.7	0.7-25.1
	Plagioclase, An	3-3			
	Pl. Range				
4	Matrix	4-1	1	1	2
	Chond. Size	4-2	5	5	3
	Metal, Sulfide	4-3	2	2	2
	Meta. Pl	5-1	3	3	1
	Chondrule Gdm	5-2	6	6	3
	Ol-extinct.	6-1	3	3	3
	Crack, Vein	6-2	4	4	1
	Shock Pocket	6-3	3	3	1
	Shock Degree	6-4	2	2	2
	Breccia	7	1	1	1
	CAI, Xenolith	8	1	1	1
	Limonite	9-1	2	2	2
	Staining	9-2	3	3	2
	Weath. Index	9-3	B	B	B
	Fusion Crust	10	1	1	1
	Comments	11	Ringwoodite in vein	Ringwoodite in vein	no

1-1	A-87099	A-87100	A-87101	A-87104	A-87105	A-87106
1-2	L6	L6	L6	H4	L6	Mes
1-3	417.07	18.68	17.38	86.71	253.64	35.19
1-4	9.1x5.9x4.6	3.3x2.4x1.4	3.2x2.3x2.0	4.0x3.1x3.2	5.3x5.7x5.0	3.4x3.2x1.7
1-5	51-1	51-1	51-1	51-1	51-1	51-1
1-6						
1-7						
2-1	3	3	3	1	2	3
2-2	3	2	3	3	2	2
2-3	3	3	3	2	2	3
2-4	1	1	1	1	1	1
2-5	B/C	A/B	B	B	B	B
2-6	1	1	1	1	1	3
2-7	2	2	2	2	2	2
2-8	1	1	1	1	1	1
3-1		24.5	24.1	18.0	24.2	
		22.9-27.7	22.8-25.7	16.8-18.8	23.3-25.5	
3-2		20.7	20.8	15.8	20.7	33.6
		19.1-22.4	19.6-23.8	15.1-16.9	19.7-24.2	26.3-36.3
3-3						92.4
						88.9-95.4
4-1	1	1	1	1	1	1
4-2	5	5	5	5	5	5
4-3	2	2	2	1	2	1
5-1	3	3	3	1	3	4
5-2	6	6	6	4	6	8
6-1	3	3	3	2	3	1
6-2	3	3	3	1	3	1
6-3	1	2	2	1	2	1
6-4	2	3	3	1	3	1
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9-1	2	2	2	3	2	2
9-2	2	2	2	3	2	2
9-3	B	B	B	B/C	A/B	B
10	2	1	1	3	1	1
11	no	no	no	no	no	yes

1	Meteorite	1-1	A-87108	A-87110	A-87112	A-87115
	Group & Type	1-2	L6	L6	L6	L6
	Weight (gr.)	1-3	311.57	76.73	74.90	32.30
	Dimension (cm)	1-4	6.9x6.3x4.6	4.8x2.6x3.2	4.7x4.0x2.2	4.0x3.2x1.9
	Thin Section No.	1-5	51-1	51-1	51-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	1	2	2
	Shape	2-2	1	2	2	2
	Fusion Crust	2-3	2	3	3	2
	Evaporite	2-4	1	1	1	1
	Fracturing	2-5	B/C	A/B	B	B
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	2	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1		23.7	24.5	24.7
	Ol. Range			22.4-24.6	23.4-26.1	23.6-25.4
	Low-Ca Pyx., Fs	3-2		20.5	20.4	20.4
	Pyx. Range			18.8-22.9	19.4-22.0	19.4-21.0
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	2	2	2	2
	Meta. Pl	5-1	3	3	3	3
	Chondrule Gdm	5-2	6	6	6	6
	Ol-extinct.	6-1	3	3	3	2
	Crack, Vein	6-2	4	3	4	1
	Shock Pocket	6-3	3	3	1	1
	Shock Degree	6-4	3	3	3	1
	Breccia	7	1	1	1	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	2	2	2
	Staining	9-2	2	2	2	2
	Weath. Index	9-3	A/B	A/B	A/B	B
	Fusion Crust	10	1	1	1	3
	Comments	11	no	no	no	no

1-1	A-87116	A-87119	A-87122	A-87123	A-87124	A-87127
1-2	H4	L5	Euc	H5	H3	CK6
1-3	350.91	39.19	15.90	12.21	61.50	19.12
1-4	9.9x5.4x6.6	4.8x2.6x1.8	3.4x2.5x1.7	2.7x2.4x1.1	4.2x3.1x2.9	3.1x2.4x1.6
1-5	81-1	51-1	51-1	51-1	51-1	51-1
1-6						
1-7						
2-1	1	1	3	1	1	1
2-2	3	3	3	1	2	2
2-3	1	1	2	1	1	2
2-4	1	1	1	1	1	1
2-5	A/B	A/B	A/B	B	B	A
2-6	1	1	3	1	1	3
2-7	5	5	5	2	5	5
2-8	1	1	3	1	1	1
3-1	18.3	24.0		17.7	17.8	32.5
	17.6-19.3	22.9-25.6		16.9-18.7	8.3-23.3	31.7-33.6
3-2	15.9	20.2		15.8	15.0	
	14.5-16.4	19.2-22.0	36.9-44.8	15.4-16.3	2.0-21.8	
3-3						
			88.1-94.2			
4-1	1	1	1	1	2	1
4-2	5	5	5	5	3	5
4-3	1	2	5	1	1	4
5-1	1	2	1	2	1	3
5-2	4	5	8	5	3	6
6-1	3	3	1	2	2	2
6-2	3	3	4	1	1	1
6-3	1	1	1	1	1	1
6-4	2	2	2	1	1	1
7	1	1	2	1	1	1
8	1	1	1	1	1	1
9-1	2	2	1	3	2	1
9-2	3	2	2	3	3	1
9-3	B	A/B	A/B	B/C	B/C	A
10	3	3	2	3	2	2
11	no	no	yes	no	no	no

1	Meteorite	1-1	A-87128	A-87129	A-87130	A-87136
	Group & Type	1-2	H6	H3	H6	LL6
	Weight (gr.)	1-3	909.55	20.22	19.31	156.82
	Dimension (cm)	1-4	13.3x6.8x7.7	3.0x2.4x1.5	2.9x2.2x2.0	5.6x5.2x3.5
	Thin Section No.	1-5	51-1	51-1	51-1	61-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	1	3	1
	Shape	2-2	3	2	3	2
	Fusion Crust	2-3	2	2	2	2
	Evaporite	2-4	2	1	1	1
	Fracturing	2-5	A/B	A/B	A/B	C
	Structure	2-6	1	1	3	3
	Color	2-7	2	2	2	4
	Xenolith	2-8	1	1	1	3
3	Olivine, Fa	3-1		17.7	18.8	29.2
	Ol. Range			10.6-23.7	18.2-19.5	27.6-30.0
	Low-Ca Pyx., Fs	3-2		14.9	16.4	23.7
	Pyx. Range			2.3-18.2	15.7-17.0	22.7-25.0
	Plagioclase, An	3-3				
	Pl. Range					9.4
4	Matrix	4-1	1	2	1	1
	Chond. Size	4-2	5	3	5	5
	Metal, Sulfide	4-3	1	1	1	3
	Meta. Pl	5-1	2	1	2	3
	Chondrule Gdm	5-2	6	3	6	6
	Ol-extinct.	6-1	2	3	2	2
	Crack, Vein	6-2	1	3	3	3
	Shock Pocket	6-3	1	1	1	1
	Shock Degree	6-4	1	2	2	2
	Breccia	7	1	4	1	2
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	3	3	2
	Staining	9-2	3	2	3	3
	Weath. Index	9-3	B/C	B	B/C	B/C
	Fusion Crust	10	2	2	2	3
	Comments	11	no	H6 clast	no	no

1-1	A-87137	A-87138	A-87139	A-87141	A-87142	A-87144
1-2	H3	H4	L6	L6	L3	H4
1-3	66.85	98.26	29.69	56.15	27.98	29.46
1-4	5.0x3.5x2.2	4.6x3.9x3.7	3.9x2.1x2.0	5.9x2.6x2.5	3.8x2.0x2.2	3.0x2.9x2.3
1-5	51-1	51-1	51-1	51-1	51-1	51-1
1-6						
1-7						
2-1	1	1	2	1	1	1
2-2	1	1	3	3	3	3
2-3	1	2	2	1	2	2
2-4	1	1	1	1	1	2
2-5	A/B	A	A	A	B	A/B
2-6	1	1	1	1	3	1
2-7	2	2	2	2	5	2
2-8	1	1	1	1	1	1
3-1	17.8	16.6	24.6	24.4		18.5
	16.8-18.4	15.9-17.6	23.9-25.8	23.6-25.4		17.7-19.2
3-2	15.1	14.4	20.5	20.3		15.7
	12.1-19.5	13.4-15.0	19.6-22.2	18.8-21.3		14.6-16.4
3-3						
4-1	1	1	1	1	2	1
4-2	3	5	5	5	3	5
4-3	1	1	2	2	2	1
5-1	1	1	3	3	1	1
5-2	3	4	6	6	3	4
6-1	2	2	3	2	3	2
6-2	1	1	4	3	1	3
6-3	1	1	1	1	1	1
6-4	1	1	3	2	2	2
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9-1	3	3	2	2	1	2
9-2	3	3	3	3	2	2
9-3	C	C	B/C	B/C	A/B	B
10	2	2	2	2	2	2
11	no	no	no	no	no	no

1	<i>Meteorite</i>	1-1	A-87145	A-87146	A-87147	A-87148
	<i>Group & Type</i>	1-2	L6	Dio	Dio	L6
	<i>Weight (gr.)</i>	1-3	94.56	118.72	205.39	229.74
	<i>Dimension (cm)</i>	1-4	5.3x3.9x2.8	6.6x4.9x4.0	7.5x5.5x3.7	5.8x4.5x5.2
	<i>Thin Section No.</i>	1-5	51-1	61-1	71-1	71-1
	<i>Tent. Pairing</i>	1-6				
	<i>Bulk Comp.</i>	1-7				
2	<i>Fragmentation</i>	2-1	1	3	3	1
	<i>Shape</i>	2-2	3	3	3	3
	<i>Fusion Crust</i>	2-3	1	3	3	1
	<i>Evaporite</i>	2-4	1	1	1	1
	<i>Fracturing</i>	2-5	A/B	B	B	A/B
	<i>Structure</i>	2-6	3	3	3	1
	<i>Color</i>	2-7	3	5	5	5
	<i>Xenolith</i>	2-8	1	3	3	1
3	<i>Olivine, Fa</i>	3-1	24.3			24.5
	<i>Ol. Range</i>		23.4-25.0			23.7-25.3
	<i>Low-Ca Pyx., Fs</i>	3-2	21.0	23.6	23.7	20.6
	<i>Pyx. Range</i>		19.8-23.8	22.2-25.6	22.6-25.1	19.3-22.6
	<i>Plagioclase, An</i>	3-3				
	<i>Pl. Range</i>					10.1
4	<i>Matrix</i>	4-1	1	1	1	1
	<i>Chond. Size</i>	4-2	5	5	5	5
	<i>Metal, Sulfide</i>	4-3	2	5	5	2
	<i>Meta. Pl</i>	5-1	3	1	1	3
	<i>Chondrule Gdm</i>	5-2	6	8	8	6
	<i>Ol-extinct.</i>	6-1	3	1	1	3
	<i>Crack, Vein</i>	6-2	2	1	1	3
	<i>Shock Pocket</i>	6-3	1	1	1	1
	<i>Shock Degree</i>	6-4	2	1	1	2
	<i>Breccia</i>	7	1	2	1	1
	<i>CAI, Xenolith</i>	8	1	1	1	1
	<i>Limonite</i>	9-1	2	1	1	1
	<i>Staining</i>	9-2	3	2	2	2
	<i>Weath. Index</i>	9-3	B/C	A/B	A/B	A
	<i>Fusion Crust</i>	10	2	1	1	2
	<i>Comments</i>	11	no	yes	yes	no

1-1	A-87150	A-87151	A-87152	A-87153	A-87154	A-87155
1-2	L4	H4	H4	L3	L3	L3
1-3	119.32	33.19	28.98	142.51	115.39	148.19
1-4	5.2x4.1x3.1	3.5x2.4x2.3	3.6x3.3x1.6	6.0x4.4x3.3	4.8x3.6x3.6	4.8x4.3x4.3
1-5	61-1	51-1	51-1	61-1	61-1	61-1
1-6					yes, A-87155	yes
1-7						
2-1	1	1	1	1	2	1
2-2	2	3	2	2	3	1
2-3	3	1	1	3	2	2
2-4	1	1	2	1	1	1
2-5	B	A	A	B	A/B	A
2-6	1	1	1	1	1	1
2-7	5	2	2	2	2	2
2-8	1	1	1	1	3	1
3-1	24.3	18.2	18.6	23.7	24.4	23.8
	23.8-24.8	16.3-19.0	17.8-20.6	22.9-25.4	23.5-25.8	19.5-25.6
3-2	20.1	16.0	16.2	17.1	19.4	19.1
	18.3-21.5	13.9-17.7	14.9-17.3	14.6-19.5	11.9-21.6	7.3-21.4
3-3						
4-1	1	1	1	1	1	1
4-2	5	5	5	3	3	3
4-3	2	1	1	2	2	2
5-1	1	1	1	1	1	1
5-2	4	4	4	3	3	3
6-1	3	2	2	3	3	3
6-2	1	2	3	1	4	4
6-3	3	1	1	1	3	3
6-4	3	1	1	2	3	3
7	1	4	1	1	4	4
8	1	1	1	1	1	1
9-1	2	2	2	2	2	2
9-2	2	2	2	2	2	2
9-3	A/B	B	B	A/B	A/B	A/B
10	1	2	2	1	1	1
11	no	with H6 clast	no	no	with L6 clast	with L6 clast

1	Meteorite	1-1	A-87156	A-87157	A-87158	A-87160
	Group & Type	1-2	H4	H5	H5	H5
	Weight (gr.)	1-3	71.76	20.29	42.65	35.57
	Dimension (cm)	1-4	4.8x3.5x2.6	3.3x2.8x1.3	4.1x3.0x2.8	4.8x3.4x1.8
	Thin Section No.	1-5	51-1	51-1	51-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	2	2	2	2
	Shape	2-2	2	3	2	2
	Fusion Crust	2-3	3	3	2	3
	Evaporite	2-4	2	1	1	2
	Fracturing	2-5	B	A	A/B	A/B
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	2	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	18.3	18.6	18.3	17.8
	Ol. Range		17.5-20.2	17.8-19.2	16.9-19.0	16.9-18.6
	Low-Ca Pyx., Fs	3-2	16.0	16.2	15.9	15.5
	Pyx. Range		14.9-17.8	15.2-17.6	15.1-16.7	14.7-16.5
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	1	1	1	1
	Meta. Pl	5-1	1	2	2	2
	Chondrule Gdm	5-2	4	5	5	5
	Ol-extinct.	6-1	2	2	2	2
	Crack, Vein	6-2	3	3	1	1
	Shock Pocket	6-3	1	1	1	1
	Shock Degree	6-4	2	1	1	1
	Breccia	7	1	1	1	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	3	3	2
	Staining	9-2	2	2	2	2
	Weath. Index	9-3	B	B	B/C	B
	Fusion Crust	10	1	2	1	2
	Comments	11	no	no	no	no

1-1	A-87161	A-87162	A-87163	A-87164	A-87165	A-87166
1-2	H5	L4	L6	H5	L5	L3
1-3	106.46	37.89	49.12	58.59	568.92	262.40
1-4	5.1x4.6x3.7	3.7x2.8x3.4	4.5x3.8x1.9	4.4x3.4x2.3	9.1x6.6x5.3	7.5x4.1x4.8
1-5	61-1	51-1	51-1	51-1	101-1	71-1
1-6						
1-7						
2-1	1	1	1	1	1	1
2-2	2	3	3	3	1	2
2-3	3	1	1	2	3	3
2-4	1	2	2	1	2	2
2-5	B	A/B	A/B	A	A/B	B
2-6	1	1	1	1	1	1
2-7	2	5	2	2	2	2
2-8	1	1	1	1	1	1
3-1	18.8	25.0	24.1	18.2	23.6	24.4
	18.3-19.4	24.5-26.0	22.6-24.9	17.2-19.2	22.7-24.7	22.8-25.6
3-2	16.3	20.8	20.3	16.2	20.1	19.3
	15.9-16.7	19.4-21.8	19.6-21.1	14.8-18.8	18.5-23.8	7.3-22.4
3-3						
4-1	1	1	1	1	1	1
4-2	5	5	5	5	1	1
4-3	1	1	2	1	2	2
5-1	2	1	3	2	2	2
5-2	5	4	6	5	5	3
6-1	2	3	2	3	3	3
6-2	1	3	1	3	3	4
6-3	1	1	1	1	1	3
6-4	1	2	1	2	2	3
7	1	1	1	1	1	4
8	1	1	1	1	1	1
9-1	2	2	2	3	2	3
9-2	2	2	2	2	2	2
9-3	B	A/B	B	B/C	B	B
10	2	2	3	2	1	1
11	no	no	no	no	no	with L6 clast

1	Meteorite	1-1	A-87167	A-87168	A-87169	A-87170
	Group & Type	1-2	L3	L3	L5	L3
	Weight (gr.)	1-3	246.66	29.43	377.67	98.42
	Dimension (cm)	1-4	6.7x4.6x5.5	4.6x3.2x1.3	8.5x6.8x4.9	5.4x4.3x2.8
	Thin Section No.	1-5	71-1	51-1	81-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	3	2	1
	Shape	2-2	1	2	2	2
	Fusion Crust	2-3	3	3	3	3
	Evaporite	2-4	2	1	1	3
	Fracturing	2-5	B	A/B	A/B	A/B
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	2	2
	Xenolith	2-8	1	3	1	3
3	Olivine, Fa	3-1	22.8	22.9	24.9	23.8
	Ol. Range		4.4-25.6	11.7-25.5	24.1-25.6	21.4-25.1
	Low-Ca Pyx., Fs	3-2	20.2	20.0	20.5	19.0
	Pyx. Range		19.0-21.6	18.8-20.6	19.5-21.1	5.3-29.0
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	1	1	5	3
	Metal, Sulfide	4-3	2	2	2	2
	Meta. Pl	5-1	2	2	2	2
	Chondrule Gdm	5-2	3	3	5	3
	Ol-extinct.	6-1	3	3	2	3
	Crack, Vein	6-2	3	3	1	1
	Shock Pocket	6-3	1	3	1	1
	Shock Degree	6-4	2	3	1	2
	Breccia	7	4	4	1	4
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	3	3	3	3
	Staining	9-2	2	2	3	2
	Weath. Index	9-3	B	B	C	A/B
	Fusion Crust	10	1	1	1	1
	Comments	11	with L6 clast	with L6 clasts	no	with L4-6 clasts

1-1	A-87171	A-87172	A-87173	A-87174	A-87175	A-87176
1-2	H4	H5	L6	H4	H5	H4
1-3	45.51	50.22	285.86	43.57	79.34	93.75
1-4	4.0x3.2x2.7	4.1x2.8x3.4	6.5x5.9x3.7	3.5x3.7x2.1	4.6x3.6x3.8	5.0x4.4x2.6
1-5	51-1	61-1	52-1	51-1	51-1	51-1
1-6						
1-7						
2-1	2	1	1	2	2	2
2-2	3	3	2	3	3	2
2-3	3	1	2	2	2	2
2-4	1	3	2	2	3	2
2-5	B	A/B	A/B	A/B	A/B	A
2-6	1	1	1	1	1	1
2-7	2	2	3	2	2	2
2-8	1	1	1	1	1	1
3-1	16.9	18.5	24.1	18.7	18.8	18.4
	15.8-17.7	17.7-19.2	23.4-25.5	17.6-19.9	18.1-19.5	16.9-19.5
3-2	14.8	16.8	20.3	16.3	16.9	16.2
	14.0-15.5	15.6-21.3	19.6-21.1	14.0-17.3	15.8-21.1	15.1-17.4
3-3						
4-1	1	1	1	1	1	1
4-2	5	1	5	1	1	1
4-3	1	1	2	1	1	1
5-1	1	2	3	1	2	1
5-2	4	5	6	4	5	4
6-1	2	3	3	3	3	3
6-2	1	4	1	3	3	3
6-3	1	1	2	1	1	1
6-4	1	3	2	2	2	2
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9-1	2	3	1	3	3	3
9-2	3	3	2	2	3	2
9-3	B/C	C	B	B	C	B/C
10	1	3	1	3	3	2
11	no	no	no	no	no	no

1	Meteorite	1-1	A-87177	A-87178	A-87179	A-87180
	Group & Type	1-2	H6	H5	LL6	L3
	Weight (gr.)	1-3	32.68	241.93	72.77	133.04
	Dimension (cm)	1-4	3.7x2.4x2.0	6.8x6.0x4.0	4.9x4.6x3.6	5.6x4.5x4.1
	Thin Section No.	1-5	51-1	52-1	51-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	1	3	1
	Shape	2-2	3	3	3	2
	Fusion Crust	2-3	1	3	3	2
	Evaporite	2-4	2	3	1	1
	Fracturing	2-5	A	A	C	B/C
	Structure	2-6	1	1	3	1
	Color	2-7	5	5	2	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	19.0	18.1	30.8	23.6
	Ol. Range		18.2-19.6	17.4-19.8	28.5-31.8	9.3-26.1
	Low-Ca Pyx., Fs	3-2	16.5	15.8	25.0	17.7
	Pyx. Range		15.9-17.1	15.0-16.7	24.3-25.4	7.7-20.5
	Plagioclase, An	3-3			11.4	
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	1	1	1	1
	Metal, Sulfide	4-3	1	1	3	2
	Meta. Pl	5-1	3	2	3	2
	Chondrule Gdm	5-2	6	5	6	4
	Ol-extinct.	6-1	2	2	2	3
	Crack, Vein	6-2	3	1	2	3
	Shock Pocket	6-3	1	1	1	3
	Shock Degree	6-4	2	1	1	3
	Breccia	7	2	2	1	4
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	2	2	3
	Staining	9-2	2	2	2	2
	Weath. Index	9-3	B	B	A/B	B
	Fusion Crust	10	2	2	1	1
	Comments	11	no	no	no	with L6 clast

1-1	A-87181	A-87182	A-87183	A-87184	A-87185	A-87186
1-2	H5	H4	H5	LL3	H6	H4
1-3	60.70	11.16	54.99	13.84	48.85	29.67
1-4	4.2x3.5x3.0	2.7x1.8x1.3	4.6x3.7x2.5	2.7x2.5x1.6	4.0x2.5x2.6	4.5x2.5x1.9
1-5	61-1	51-1	51-1	51-1	51-1	51-1
1-6						
1-7						
2-1	1	1	1	2	2	1
2-2	3	2	2	2	2	2
2-3	1	3	1	2	2	2
2-4	1	1	1	1	1	1
2-5	A	A	A	B	A/B	A/B
2-6	1	1	1	1	1	1
2-7	2	2	2	5	2	2
2-8	1	1	1	1	1	1
3-1	18.7	17.1	18.5	29.6	18.8	18.2
	18.0-19.2	16.4-18.4	17.9-19.3	25.1-32.4	17.5-20.5	17.3-18.9
3-2	16.1	15.0	16.0	29.4	16.2	15.8
	15.6-16.9	13.9-16.6	15.1-16.9	18.7-40.4	13.8-18.6	15.0-16.7
3-3					2.4	
4-1	1	1	1	1	1	1
4-2	1	1	1	1	1	1
4-3	1	1	1	3	1	1
5-1	2	1	2	2	3	1
5-2	5	4	5	3	6	4
6-1	3	2	3	3	3	3
6-2	1	1	3	3	3	3
6-3	1	1	1	1	1	1
6-4	2	1	2	2	2	2
7	1	1	1	4	4	1
8	1	1	1	1	1	1
9-1	2	2	2	2	2	2
9-2	2	3	2	2	3	2
9-3	B	B/C	B	A	B/C	B
10	2	2	2	2	2	2
11	no	no	no	with LL6 clast	with H4 clast	no

1	Meteorite	1-1	A-87187	A-87188	A-87189	A-87190
	Group & Type	1-2	H5	H5	H5	LL6
	Weight (gr.)	1-3	31.84	30.00	57.29	35.24
	Dimension (cm)	1-4	4.5x2.4x2.0	4.1x2.5x2.0	4.4x3.0x2.5	3.5x3.6x2.6
	Thin Section No.	1-5	51-1	51-1	51-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	1	1	2
	Shape	2-2	3	3	2	2
	Fusion Crust	2-3	1	2	1	3
	Evaporite	2-4	1	2	1	1
	Fracturing	2-5	A	A/B	A/B	B/C
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	5	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	18.1	18.6	18.4	29.9
	Ol. Range		17.4-18.8	17.2-21.0	17.8-19.0	29.0-31.0
	Low-Ca Pyx., Fs	3-2	15.8	16.5	15.9	24.7
	Pyx. Range		15.1-17.0	14.7-18.6	15.0-16.7	23.9-25.9
	Plagioclase, An	3-3		12.6		
	Pl. Range					9.4-10.8
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	1	5	5	5
	Metal, Sulfide	4-3	1	1	1	3
	Meta. Pl	5-1	2	2	2	3
	Chondrule Gdm	5-2	5	5	5	6
	Ol-extinct.	6-1	2	3	2	3
	Crack, Vein	6-2	1	3	1	3
	Shock Pocket	6-3	1	3	1	1
	Shock Degree	6-4	1	3	1	2
	Breccia	7	1	4	1	2
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	2	3	1
	Staining	9-2	2	2	3	2
	Weath. Index	9-3	B	B	C	A/B
	Fusion Crust	10	2	2	2	1
	Comments	11	no	with H6 clasts	no	no

1-1	A-87191	A-87192	A-87193	A-87194	A-87195	A-87196
1-2	H4	H4	H5	LL4	H5	L6
1-3	54.40	67.44	87.43	26.25	73.10	168.06
1-4	4.1x3.4x2.7	4.7x2.9x3.1	4.8x4.2x3.6	3.6x2.2x2.6	5.0x3.7x2.1	6.7x5.1x4.8
1-5	51-1	51-1	51-1	51-1	51-1	61-1
1-6						
1-7						
2-1	3	1	3	1	1	1
2-2	2	2	3	3	3	2
2-3	3	2	4	2	1	3
2-4	3	1	1	1	1	1
2-5	B	B	B/C	B	A/B	B/C
2-6	1	1	3	1	1	1
2-7	2	2	2	5	2	5
2-8	1	1	1	1	1	1
3-1	17.6	18.3	17.9	29.8	18.8	25.0
	16.7-18.6	16.6-19.5	17.4-18.4	24.7-32.1	17.9-19.9	23.7-27.8
3-2	15.6	16.3	15.7	23.6	16.8	21.0
	14.4-18.8	15.1-18.2	14.8-16.8	15.0-26.1	16.0-18.5	19.5-23.0
3-3				9.4		
4-1	1	1	1	1	1	1
4-2	5	5	5	5	5	5
4-3	1	1	1	3	1	2
5-1	2	2	2	2	2	3
5-2	5	4	5	4	5	6
6-1	3	3	2	3	3	3
6-2	2	3	1	2	3	1
6-3	1	3	1	1	1	2
6-4	2	3	1	2	2	2
7	4	4	2	4	4	1
8	1	1	1	1	1	1
9-1	2	2	2	1	3	1
9-2	2	2	3	2	3	2
9-3	B	B/C	B/C	A/B	B/C	A/B
10	1	2	1	2	2	1
11	with H6 clasts	with H6 clasts	no	with LL6 clasts	with H6 clasts	no

1	Meteorite	1-1	A-87197	A-87198	A-87199	A-87200
	Group & Type	1-2	H4	H4	L3	L3
	Weight (gr.)	1-3	124.99	34.35	77.76	449.09
	Dimension (cm)	1-4	5.5x4.7x3.6	4.2x3.9x1.7	4.6x4.5x2.5	9.3x7.7x6.3
	Thin Section No.	1-5	61-1	51-1	51-1	91-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	3	1	1
	Shape	2-2	2	2	1	3
	Fusion Crust	2-3	3	3	3	1
	Evaporite	2-4	1	1	1	2
	Fracturing	2-5	A/B	A/B	A/B	A
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	2	5
	Xenolith	2-8	1	1	1	3
3	Olivine, Fa	3-1	18.7	18.3	23.7	22.2
	Ol. Range		18.1-19.5	17.1-19.4	14.3-28.0	0.4-31.6
	Low-Ca Pyx., Fs	3-2	16.2	16.0	19.0	17.2
	Pyx. Range		15.2-18.4	15.3-16.8	4.4-24.7	1.1-32.1
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	2
	Chond. Size	4-2	5	5	3	3
	Metal, Sulfide	4-3	1	1	2	2
	Meta. Pl	5-1	1	1	1	1
	Chondrule Gdm	5-2	4	4	3	3
	Ol-extinct.	6-1	3	3	3	3
	Crack, Vein	6-2	1	1	3	1
	Shock Pocket	6-3	1	1	1	1
	Shock Degree	6-4	2	2	3	2
	Breccia	7	1	1	4	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	3	2	2
	Staining	9-2	3	3	2	2
	Weath. Index	9-3	B/C	C	A/B	A/B
	Fusion Crust	10	1	1	1	2
	Comments	11	no	no	with L6 clasts	no

1-1	A-87201	A-87202	A-87204	A-87205	A-87206	A-87207
1-2	L6	H5	H4	H4	H4	H4
1-3	138.74	54.84	27.72	55.41	33.89	55.48
1-4	5.5X4.0X3.5	3.7x3.1x3.0	3.3x2.9x1.9	4.7x4.0x2.7	4.9x2.5x2.4	5.6x3.7x1.9
1-5	61-1	61-1	61-1	51-1	51-1	51-1
1-6						
1-7						
2-1	1	1	3	3	3	2
2-2	1	2	3	3	3	2
2-3	2	2	3	3	2	2
2-4	1	1	1	1	3	1
2-5	C	A	B	B	A	A
2-6	1	1	3	3	1	1
2-7	2	2	2	2	2	2
2-8	1	1	1	1	1	1
3-1	24.1	18.0	17.6	17.5	18.3	18.5
	22.4-24.9	17.3-18.9	16.7-18.8	16.5-18.1	16.5-19.1	17.3-19.5
3-2	20.2	15.7	15.3	15.5	15.8	15.8
	19.1-21.6	14.9-16.4	14.2-16.0	13.7-17.7	14.9-16.8	14.5-16.9
3-3						
4-1	1	1	1	1	1	1
4-2	5	5	5	5	5	5
4-3	2	1	1	1	1	1
5-1	3	2	1	1	1	1
5-2	5	5	4	4	4	4
6-1	3	2	2	3	2	3
6-2	4	1	1	1	3	1
6-3	1	1	1	1	1	1
6-4	3	1	1	2	1	2
7	2	1	1	1	1	1
8	1	1	1	1	1	1
9-1	3	3	2	2	2	3
9-2	2	3	2	2	3	3
9-3	B	C	B/C	B	B/C	B/C
10	1	1	1	1	1	2
11	no	no	no	no	no	no

1	Meteorite	1-1	A-87208	A-87209	A-87210	A-87211
	Group & Type	1-2	H5	H5	L6	H4
	Weight (gr.)	1-3	37.65	16.89	43.15	73.44
	Dimension (cm)	1-4	4.3x3.9x1.7	2.9x2.5x1.2	3.6x3.0x2.6	4.6x4.2x3.2
	Thin Section No.	1-5	51-1	51-1	51-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	2	1	1
	Shape	2-2	2	2	2	3
	Fusion Crust	2-3	2	2	3	2
	Evaporite	2-4	1	2	1	2
	Fracturing	2-5	A	A	A/B	A
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	3	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	18.2	18.6	23.6	18.4
	Ol. Range		16.9-18.9	17.6-19.2	22.0-24.8	17.2-19.8
	Low-Ca Pyx., Fs	3-2	15.9	16.0	19.9	15.6
	Pyx. Range		14.7-16.8	15.3-16.7	18.8-20.9	14.8-16.7
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	1	1	2	1
	Meta. Pl	5-1	2	2	3	1
	Chondrule Gdm	5-2	5	5	6	4
	Ol-extinct.	6-1	3	3	3	3
	Crack, Vein	6-2	4	1	1	1
	Shock Pocket	6-3	1	1	3	1
	Shock Degree	6-4	3	2	2	2
	Breccia	7	1	1	1	4
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	2	2	2
	Staining	9-2	2	3	3	2
	Weath. Index	9-3	B	B/C	B/C	B
	Fusion Crust	10	2	2	1	1
	Comments	11	no	no	no	with H6 clast

1-1	A-87212	A-87213	A-87214	A-87215	A-87216	A-87217
1-2	H4	H6	H5	H5	H3	L6
1-3	29.45	15.77	139.20	54.08	65.93	63.00
1-4	4.4x2.0x2.2	3.6x2.2x1.3	6.5x4.1x3.1	4.5x3.1x2.3	4.6x3.8x2.6	5.2x3.5x2.9
1-5	51-1	51-1	61-1	51-1	51-1	51-1
1-6						
1-7						
2-1	1	1	3	1	1	1
2-2	3	1	3	2	2	2
2-3	1	1	2	1	1	3
2-4	1	1	2	2	3	2
2-5	A	A	A/B	A	A	A
2-6	1	1	1	1	1	1
2-7	5	5	2	5	5	2
2-8	1	1	1	1	1	1
3-1	18.6	19.2	18.6	18.4	16.4	24.3
	17.6-19.5	18.4-20.8	17.8-19.5	17.8-19.6	15.2-17.0	23.0-25.6
3-2	16.5	16.6	16.3	15.8	13.5	20.2
	15.4-20.3	16.0-17.2	14.8-18.5	15.2-16.4	6.8-25.3	19.5-21.5
3-3						
4-1	1	1	1	1	2	1
4-2	5	5	5	5	3	5
4-3	1	1	1	1	1	2
5-1	1	3	2	2	1	3
5-2	4	6	5	5	3	6
6-1	3	2	3	2	2	3
6-2	3	1	4	1	1	4
6-3	1	1	3	1	1	3
6-4	2	1	3	1	1	3
7	4	1	4	1	1	1
8	1	1	1	1	1	1
9-1	2	3	3	3	3	2
9-2	3	3	3	3	3	2
9-3	B/C	C	C	B/C	C	B
10	2	2	1	2	3	1
11	with H6 clast	no	with H6 clast	no	no	no

1	Meteorite	1-1	A-87218	A-87219	A-87220	A-87221
	Group & Type	1-2	H6	H4	L3	L3
	Weight (gr.)	1-3	18.11	68.03	162.89	63.28
	Dimension (cm)	1-4	3.6x2.5x1.5	5.4x3.0x2.7	6.1x4.2x3.8	5.3x4.0x2.1
	Thin Section No.	1-5	61-1	51-1	61-1	51-1
	Tent. Pairing	1-6			Y-87222	Y-87222
	Bulk Comp.	1-7				
2	Fragmentation	2-1	3	1	1	3
	Shape	2-2	3	3	2	3
	Fusion Crust	2-3	3	3	3	3
	Evaporite	2-4	1	2	2	1
	Fracturing	2-5	A/B	B	B	B/C
	Structure	2-6	3	1	1	3
	Color	2-7	2	2	5	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	18.8	18.1	23.0	23.5
	Ol. Range		17.7-19.7	17.3-18.8	16.5-24.6	17.0-24.7
	Low-Ca Pyx., Fs	3-2	16.4	15.7	19.3	19.6
	Pyx. Range		15.7-17.1	14.8-16.5	7.4-21.0	15.6-21.2
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	1	1	2	2
	Meta. Pl	5-1	3	1	2	2
	Chondrule Gdm	5-2	6	4	3	3
	Ol-extinct.	6-1	2	2	3	3
	Crack, Vein	6-2	1	3	4	4
	Shock Pocket	6-3	1	1	3	3
	Shock Degree	6-4	1	1	3	3
	Breccia	7	1	1	4	4
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	3	3	2
	Staining	9-2	3	3	2	2
	Weath. Index	9-3	B/C	B/C	B	B
	Fusion Crust	10	1	1	1	1
	Comments	11	no	no	with L6 clasts	with L6 clasts

1-1	A-87222	A-87223	A-87224	A-87225	A-87226	A-87227
1-2	L3	L6	L6	LL3	H4	H5
1-3	224.45	12.04	97.09	51.61	134.19	30.08
1-4	6.9x5.2x3.9	2.5x2.1x1.9	5.6x3.9x2.9	4.3x3.6x2.6	6.7x3.7x3.4	4.3x2.5x1.6
1-5	71-1	51-1	51-1	51-1	61-1	51-1
1-6						
1-7						
2-1	1	3	1	3	1	3
2-2	2	3	2	3	3	3
2-3	2	2	2	3	2	2
2-4	1	1	1	1	1	2
2-5	B/C	A	B/C	B/C	B/C	A
2-6	1	3	1	1	1	1
2-7	2	3	5	5	2	2
2-8	1	1	1	1	1	1
3-1	23.4	23.5	24.3	29.2	16.8	18.4
	23.0-23.9	22.7-24.7	22.9-25.2	25.0-32.4	16.0-17.5	17.7-20.7
3-2	19.1	19.8	20.7	17.8	14.9	16.0
	16.2-22.0	19.1-20.6	19.5-23.1	8.1-25.1	14.0-15.8	15.2-17.5
3-3						
		10.0	10.0			
4-1	1	1	1	2	1	1
4-2	5	5	5	3	5	5
4-3	2	2	2	3	1	1
5-1	2	3	3	1	1	2
5-2	3	6	6	3	4	5
6-1	3	3	3	2	3	3
6-2	4	4	3	3	1	1
6-3	3	1	1	1	1	1
6-4	3	3	2	1	2	2
7	4	1	1	4	1	1
8	1	1	1	1	1	1
9-1	2	2	1	1	3	3
9-2	2	2	2	2	3	3
9-3	B	B	B	A/B	B/C	B/C
10	1	2	1	3	2	2
11	with L6 clasts	no	no	yes	no	no

1	Meteorite	1-1	A-87229	A-87231	A-87232	A-87233
	Group & Type	1-2	L6	H6	H4	H4
	Weight (gr.)	1-3	93.46	28.52	451.34	569.95
	Dimension (cm)	1-4	7.1x4.4x1.7	4.1x3.3x1.5	9.9x8.3x4.5	10.0x7.9x7.2
	Thin Section No.	1-5	51-1	51-1	91-1	101-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	3	1	2
	Shape	2-2	2	3	2	3
	Fusion Crust	2-3	1	2	1	2
	Evaporite	2-4	1	1	1	2
	Fracturing	2-5	B	A	A	C
	Structure	2-6	3	3	1	1
	Color	2-7	5	2	2	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	24.3	17.9	16.5	17.6
	Ol. Range		23.4-25.5	17.3-18.4	15.9-17.2	16.8-18.2
	Low-Ca Pyx., Fs	3-2	20.3	15.8	14.5	15.3
	Pyx. Range		19.4-21.8	14.3-16.8	12.6-15.4	14.5-16.0
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	2	1	1	1
	Meta. Pl	5-1	3	3	1	1
	Chondrule Gdm	5-2	6	6	4	4
	Ol-extinct.	6-1	3	2	3	2
	Crack, Vein	6-2	1	1	3	1
	Shock Pocket	6-3	1	1	1	1
	Shock Degree	6-4	2	1	2	1
	Breccia	7	1	1	1	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	3	3	3	3
	Staining	9-2	3	3	3	3
	Weath. Index	9-3	B/C	C	B/C	C
	Fusion Crust	10	2	2	2	2
	Comments	11	no	no	no	no

1-1	A-87234	A-87240	A-87241	A-87242	A-87243	A-87244
1-2	H4	H4	L6	H5	L6	H6
1-3	151.90	29.68	797.69	618.53	428.66	115.03
1-4	6.2x4.1x4.8	4.1x3.5x1.5	10.1x8.9x5.3	11.0x7.1x4.7	9.0x7.1x3.4	5.5x4.4x3.3
1-5	61-1	51-1	111-1	111-1	91-1	61-1
1-6						
1-7						
2-1	3	1	1	1	1	1
2-2	3	3	3	2	2	2
2-3	2	1	2	1	1	3
2-4	3	3	3	2	1	1
2-5	A/B	A/B	B	A/B	B/C	C
2-6	1	1	3	1	1	1
2-7	2	2	3	2	5	2
2-8	1	1	1	1	1	1
3-1	17.6	16.5	24.1	18.3	24.6	18.8
	17.1-18.0	16.0-17.2	23.0-25.2	17.5-18.9	23.8-25.7	17.9-19.3
3-2	15.4	14.5	20.0	15.8	20.4	16.2
	14.4-16.0	13.7-15.3	19.5-20.3	15.2-16.2	19.5-20.9	15.3-16.9
3-3						
			10.0		10.2	11.9
4-1	1	1	1	1	1	1
4-2	5	5	5	5	5	5
4-3	1	1	2	1	2	1
5-1	1	1	3	2	3	3
5-2	4	4	6	5	6	6
6-1	2	3	2	3	3	2
6-2	1	1	1	3	3	1
6-3	1	1	1	1	1	1
6-4	1	2	1	2	2	1
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9-1	3	3	3	2	1	3
9-2	3	3	3	2	2	3
9-3	C	B/C	B/C	B	B	B/C
10	2	2	1	2	2	1
11	no	no	no	no	no	no

1	Meteorite	1-1	A-87245	A-87246	A-87247	A-87250
	Group & Type	1-2	L6	L6	L3	LL3
	Weight (gr.)	1-3	97.65	288.38	14.16	181.20
	Dimension (cm)	1-4	5.1x4.5x3.7	7.5x5.8x4.0	3.0x1.8x1.6	6.8x4.7x4.6
	Thin Section No.	1-5	51-1	71-1	51-1	61-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	2	1	1	3
	Shape	2-2	3	2	2	3
	Fusion Crust	2-3	2	1	1	2
	Evaporite	2-4	2	3	1	1
	Fracturing	2-5	A	A	A	B
	Structure	2-6	1	1	1	1
	Color	2-7	3	5	2	5
	Xenolith	2-8	1	1	1	2
3	Olivine, Fa	3-1	24.4	24.1	24.0	28.8
	Ol. Range		23.5-26.5	23.2-24.9	22.4-29.3	26.5-31.9
	Low-Ca Pyx., Fs	3-2	20.2	20.2	19.2	19.4
	Pyx. Range		18.8-21.5	18.9-21.3	4.7-27.0	6.4-28.5
	Plagioclase, An	3-3		10.4-11.3		20.0
	Pl. Range					
4	Matrix	4-1	1	1	2	2
	Chond. Size	4-2	5	5	3	3
	Metal, Sulfide	4-3	2	2	2	3
	Meta. Pl	5-1	3	3	2	2
	Chondrule Gdm	5-2	6	6	3	3
	Ol-extinct.	6-1	3	3	3	3
	Crack, Vein	6-2	3	3	4	1
	Shock Pocket	6-3	1	1	3	2
	Shock Degree	6-4	2	2	3	2
	Breccia	7	1	1	4	4
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	1	2	3	1
	Staining	9-2	2	2	2	2
	Weath. Index	9-3	A/B	A/B	B	A
	Fusion Crust	10	2	2	1	1
	Comments	11	no	no	with L6 clast	with LL6 clast

1-1	A-87251	A-87254	A-87255	A-87257	A-87258	A-87259
1-2	LL6	H6	H6	L6	L6	LL3
1-3	46000	21.33	20.53	28.27	120.56	17.90
1-4	42x27x27	3.5x2.8x1.7	3.6x1.8x2.5	3.2x2.9x1.7	6.5x4.7x3.6	3.5x2.1x1.8
1-5	51-2	51-1	51-1	51-1	61-1	51-1
1-6						
1-7						
2-1	3	3	2	2	1	3
2-2	3	3	3	1	3	3
2-3	2	2	2	2	1	2
2-4	1	1	1	1	1	2
2-5	A/B	A/B	A/B	A/B	A/B	A/B
2-6	3	1	1	1	1	3
2-7	5	2	2	5	5	5
2-8	1	1	1	1	1	1
3-1	30.3	18.9	17.8	24.5	24.2	17.0
	27.4-32.9	17.5-21.9	17.3-18.4	23.2-25.6	23.3-25.1	0.4-28.9
3-2	24.2	16.6	15.8	20.3	20.3	8.7
	22.2-25.3	15.8-18.2	14.2-16.5	18.4-21.6	19.5-21.1	1.6-30.7
3-3					9.4-10.4	
4-1	1	1	1	1	1	2
4-2	5	5	5	5	5	3
4-3	3	1	1	2	2	3
5-1	3	3	3	3	3	1
5-2	6	6	6	6	6	3
6-1	3	2	2	3	3	2
6-2	1	3	1	3	3	1
6-3	2	1	1	1	1	1
6-4	2	1	1	2	2	1
7	1	1	2	1	1	1
8	1	1	1	1	1	1
9-1	1	2	3	2	2	1
9-2	2	3	2	2	3	2
9-3	A	B/C	B	A/B	B/C	A/B
10	1	3	2	2	2	2
11	no	no	no	no	no	no

1	Meteorite	1-1	A-87260	A-87261	A-87262	A-87264
	Group & Type	1-2	L6	LL3	H6	H5
	Weight (gr.)	1-3	770.11	20.16	68.97	221.43
	Dimension (cm)	1-4	9.9x8.5x5.9	2.8x2.4x2.1	5.1x3.8x2.7	5.5x4.3x4.5
	Thin Section No.	1-5	101-1	51-1	51-1	71-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	1	3	1
	Shape	2-2	2	3	2	2
	Fusion Crust	2-3	2	1	2	1
	Evaporite	2-4	1	1	3	3
	Fracturing	2-5	A/B	A/B	B/C	A/B
	Structure	2-6	1	1	1	1
	Color	2-7	5	5	2	3
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	24.5	17.3	18.9	18.8
	Ol. Range		23.4-25.9	0.5-33.2	18.2-19.7	17.6-19.8
	Low-Ca Pyx., Fs	3-2	20.3	9.8	16.5	16.5
	Pyx. Range		19.4-21.8	1.4-26.0	15.6-17.1	15.6-17.6
	Plagioclase, An	3-3			11.5	
	Pl. Range					
4	Matrix	4-1	1	2	1	1
	Chond. Size	4-2	5	3	5	5
	Metal, Sulfide	4-3	2	3	1	1
	Meta. Pl	5-1	3	1	3	2
	Chondrule Gdm	5-2	6	3	6	5
	Ol-extinct.	6-1	3	2	2	2
	Crack, Vein	6-2	1	1	1	1
	Shock Pocket	6-3	1	1	1	1
	Shock Degree	6-4	2	1	1	1
	Breccia	7	1	1	1	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	1	1	2	1
	Staining	9-2	3	2	2	3
	Weath. Index	9-3	B	A/B	B/C	B/C
	Fusion Crust	10	1	2	1	2
	Comments	11	no	no	no	no

1-1	A-87265	A-87266	A-87268	A-87270	A-87271	A-87272
1-2	L3	L6	H6	L6	L6	Euc
1-3	18.24	28.65	10.23	25.70	16.44	5706.0
1-4	2.8x2.0x2.0	3.0x3.3x2.1	2.5x2.5x1.2	4.4x2.3x1.6	3.3x3.0x1.6	20x16x11
1-5	51-1	51-1	51-1	51-1	51-1	71-2
1-6						
1-7						
2-1	1	3	1	2	1	1
2-2	2	3	2	3	2	3
2-3	2	2	3	2	1	1
2-4	1	1	1	3	1	1
2-5	A	A/B	A/B	A/B	A	A/B
2-6	1	1	1	1	1	1
2-7	2	5	2	5	5	5
2-8	1	2	1	1	1	1
3-1	24.3	24.9	18.2	24.3	24.5	
	23.0-28.5	23.7-25.7	17.2-18.8	23.3-25.5	23.7-26.5	
3-2	17.1	20.6	16.1	20.4	20.5	
	2.3-23.7	19.9-21.2	15.4-17.1	19.1-21.2	19.6-21.3	53.9-63.2
3-3					9.7	
						88.8-92.4
4-1	2	1	1	1	1	1
4-2	3	5	5	5	5	5
4-3	2	2	1	2	2	5
5-1	1	3	3	3	3	1
5-2	3	6	6	6	6	8
6-1	2	2	2	3	3	1
6-2	1	1	1	3	3	3
6-3	1	1	1	1	1	1
6-4	1	1	1	2	2	1
7	1	2	1	1	1	1
8	1	1	1	1	1	1
9-1	1	2	2	1	1	1
9-2	3	3	3	2	3	1
9-3	B/C	B	C	A/B	A/B	A
10	2	2	1	2	2	3
11	no	no	no	no	no	yes

1	Meteorite	1-1	A-87274	A-87275	A-87277	A-87278
	Group & Type	1-2	H4	H5	H3	H3
	Weight (gr.)	1-3	244.45	572.32	250.02	176.00
	Dimension (cm)	1-4	7.8x5.4x2.0	11.1x8.1x4.0	8.7x6.8x4.0	7.9x7.5x3.0
	Thin Section No.	1-5	71-1	111-1	71-1	61-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	3	3	3	3
	Shape	2-2	3	3	3	3
	Fusion Crust	2-3	2	2	3	2
	Evaporite	2-4	2	2	3	1
	Fracturing	2-5	C	C	C	C
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	2	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	18.9	18.8	17.7	18.0
	Ol. Range		17.5-25.6	18.2-20.1	4.8-31.7	10.7-20.4
	Low-Ca Pyx., Fs	3-2	15.4	16.6	16.6	15.7
	Pyx. Range		2.1-20.7	15.9-17.8	9.2-24.6	5.3-22.3
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	2
	Chond. Size	4-2	5	5	3	3
	Metal, Sulfide	4-3	1	1	1	1
	Meta. Pl	5-1	1	2	1	1
	Chondrule Gdm	5-2	4	5	3	3
	Ol-extinct.	6-1	3	3	3	3
	Crack, Vein	6-2	1	1	1	1
	Shock Pocket	6-3	1	1	1	1
	Shock Degree	6-4	2	2	2	2
	Breccia	7	2	1	2	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	3	2	3	3
	Staining	9-2	3	3	3	3
	Weath. Index	9-3	B/C	B/C	B/C	B/C
	Fusion Crust	10	1	1	1	2
	Comments	11	yes	no	no	no

1-1	A-87279	A-87281	A-87282	A-87283	A-87284	A-87286
1-2	H5	H4	H4	H3	H5	H3
1-3	88.22	34.68	52.61	123.35	34.33	61.25
1-4	6.1x4.1x2.6	5.9x3.0x1.2	4.7x4.4x2.2	8.2x6.2x1.6	5.2x4.2x1.1	7.1x4.0x2.0
1-5	51-1	51-1	51-1	61-1	51-1	51-1
1-6						
1-7						
2-1	3	3	3	3	3	3
2-2	3	3	3	3	3	3
2-3	2	2	4	2	4	2
2-4	1	1	1	1	1	1
2-5	C	B	C	C	C	B
2-6	1	1	1	1	1	1
2-7	2	2	2	2	5	2
2-8	1	1	1	1	1	1
3-1	18.5	18.3	18.5	17.4	18.3	17.6
	17.8-20.2	17.3-21.7	17.9-19.8	1.2-19.8	16.2-20.0	0.5-20.2
3-2	16.0	14.6	15.9	15.6	15.7	15.0
	15.4-16.6	4.9-17.6	14.9-17.6	6.2-22.5	9.4-17.5	3.0-23.1
3-3						
4-1	1	1	1	1	1	2
4-2	5	5	5	5	5	3
4-3	1	1	1	1	1	1
5-1	2	1	1	1	2	1
5-2	5	4	4	3	5	3
6-1	3	3	3	3	3	3
6-2	1	1	1	1	1	1
6-3	1	1	1	1	1	1
6-4	2	2	2	2	2	2
7	1	1	1	2	2	1
8	1	1	1	1	1	1
9-1	3	3	3	3	3	3
9-2	3	3	3	3	3	3
9-3	C	B/C	B/C	B/C	B/C	B/C
10	1	2	1	2	1	
11	no	no	no	no	no	no

1	Meteorite	1-1	A-87287	A-87288	A-87289	A-87290
	Group & Type	1-2	H3	H4	H3	H5
	Weight (gr.)	1-3	47.09	21.26	46.78	20.64
	Dimension (cm)	1-4	5.2x3.2x1.8	4.6x3.0x1.0	5.0x4.2x1.7	4.5x3.1x1.2
	Thin Section No.	1-5	51-1	51-1	51-1	51-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	3	3	3	3
	Shape	2-2	3	3	3	3
	Fusion Crust	2-3	2	4	2	3
	Evaporite	2-4	1	1	2	1
	Fracturing	2-5	B	B	B	B
	Structure	2-6	1	1	1	1
	Color	2-7	2	2	2	2
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	18.5	18.7	18.5	18.8
	Ol. Range		8.2-20.3	16.2-20.5	17.4-19.7	17.3-24.1
	Low-Ca Pyx., Fs	3-2	16.4	16.1	14.8	15.8
	Pyx. Range		8.3-20.7	12.7-16.9	1.9-25.0	15.3-16.4
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	2	1	2	1
	Chond. Size	4-2	3	5	3	5
	Metal, Sulfide	4-3	1	1	1	1
	Meta. Pl	5-1	1	1	1	2
	Chondrule Gdm	5-2	3	4	3	5
	Ol-extinct.	6-1	3	3	3	3
	Crack, Vein	6-2	1	1	1	3
	Shock Pocket	6-3	1	1	1	2
	Shock Degree	6-4	2	2	2	2
	Breccia	7	1	1	4	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	2	3	3	3
	Staining	9-2	3	3	3	3
	Weath. Index	9-3	B/C	B/C	B/C	B/C
	Fusion Crust	10	2	2	2	2
	Comments	11	no	no	with H6 clast	no

1-1	A-87291	A-87292	A-87296	A-87299	A-87300	A-87307
1-2	H5	H5	H3	H3	H3	H4
1-3	154.59	11.85	17.63	14.78	27.86	59.37
1-4	9.8x4.6x2.2	3.9x2.3x1.0	4.0x1.8x1.6	3.5x2.4x1.2	4.5x3.4x1.4	4.6x3.9x2.3
1-5	61-1	51-1	51-1	51-1	51-1	51-1
1-6						
1-7						
2-1	3	3	3	3	3	1
2-2	3	3	3	3	3	2
2-3	2	3	4	3	2	2
2-4	2	1	1	1	1	3
2-5	C	B	B	A/B	A/B	A
2-6	1	1	1	1	1	1
2-7	2	2	2	2	2	2
2-8	1	1	1	1	1	1
3-1	18.3	18.1	17.5	18.3	17.6	17.7
	16.9-19.3	17.2-19.1	8.5-23.1	16.6-20.2	5.3-19.2	17.2-18.2
3-2	16.2	15.7	16.0	13.8	16.0	15.5
	13.2-24.2	14.8-17.2	7.3-25.7	2.8-17.8	14.5-17.1	14.8-16.8
3-3						
4-1	1	1	2	2	2	1
4-2	5	5	3	3	3	5
4-3	1	1	1	1	1	1
5-1	2	2	1	1	1	1
5-2	5	5	3	3	3	4
6-1	3	3	2	3	3	3
6-2	1	1	1	1	1	3
6-3	1	1	1	1	1	1
6-4	2	2	1	2	2	2
7	1	1	1	1	4	1
8	1	1	1	1	1	1
9-1	3	3	3	3	3	3
9-2	3	3	3	3	3	3
9-3	C	B/C	B/C	B/C	B/C	C
10	1	1	1	1	2	2
11	no	no	no	no	with H6 clast	no

1	<i>Meteorite</i>	1-1	A-87308	A-87309	A-87310	A-87311
	<i>Group & Type</i>	1-2	H5	L6	H4	H4
	<i>Weight (gr.)</i>	1-3	6060.0	189.36	13.60	101.42
	<i>Dimension (cm)</i>	1-4	21x17x10.5	5.1x4.8x3.8	3.0x2.1x1.5	5.2x4.1x2.8
	<i>Thin Section No.</i>	1-5	51-1	61-1	51-1	51-1
	<i>Tent. Pairing</i>	1-6				
	<i>Bulk Comp.</i>	1-7				
2	<i>Fragmentation</i>	2-1	1	1	3	3
	<i>Shape</i>	2-2	3	3	3	3
	<i>Fusion Crust</i>	2-3	2	2	2	2
	<i>Evaporite</i>	2-4	3	1	1	3
	<i>Fracturing</i>	2-5	A/B	A	A/B	A
	<i>Structure</i>	2-6	1	1	3	1
	<i>Color</i>	2-7	2	5	5	2
	<i>Xenolith</i>	2-8	1	3	1	1
3	<i>Olivine, Fa</i>	3-1	19.1	24.2	18.3	17.7
	<i>Ol. Range</i>		18.3-20.3	23.0-25.2	17.3-19.2	17.0-19.1
	<i>Low-Ca Pyx., Fs</i>	3-2	16.6	20.0	16.1	15.7
	<i>Pyx. Range</i>		15.8-17.4	19.1-21.7	15.4-17.8	14.4-20.5
	<i>Plagioclase, An</i>	3-3			11.0	
	<i>Pl. Range</i>					
4	<i>Matrix</i>	4-1	1	1	1	1
	<i>Chond. Size</i>	4-2	5	5	5	5
	<i>Metal, Sulfide</i>	4-3	1	2	1	1
	<i>Meta. Pl</i>	5-1	2	3	1	1
	<i>Chondrule Gdm</i>	5-2	5	6	4	4
	<i>Ol-extinct.</i>	6-1	3	3	3	3
	<i>Crack, Vein</i>	6-2	3	4	1	1
	<i>Shock Pocket</i>	6-3	1	3	1	1
	<i>Shock Degree</i>	6-4	2	3	2	2
	<i>Breccia</i>	7	1	1	4	1
	<i>CAI, Xenolith</i>	8	1	1	1	1
	<i>Limonite</i>	9-1	2	1	1	2
	<i>Staining</i>	9-2	3	2	2	2
	<i>Weath. Index</i>	9-3	B/C	A/B	A/B	A/B
	<i>Fusion Crust</i>	10	1	2	1	1
	<i>Comments</i>	11	no	no	with H6 clasts	no

1-1	A-87312	A-87313	A-87315	A-87316	A-87317	A-87318
1-2	L4	L6	H4	H6	H6	L3
1-3	509.58	32.55	19.70	24.97	211.13	172.20
1-4	10.6x5.8x6.2	2.7x2.1x2.3	4.2x1.8x1.7	4.3x2.5x1.6	6.6x5.7x3.5	7.0x5.0x2.8
1-5	101-1	51-1	51-1	51-1	71-1	61-1
1-6						
1-7						
2-1	1	1	1	2	1	1
2-2	2	3	3	2	2	3
2-3	3	1	2	2	1	1
2-4	1	2	1	1	1	1
2-5	B/C	A	A	A/B	B	B
2-6	1	1	1	1	1	1
2-7	5	2	5	2	2	2
2-8	1	1	1	1	1	1
3-1	23.4	23.8	18.0	19.0	19.2	10.3
	22.7-24.7	23.0-24.6	16.8-20.8	17.7-19.6	18.4-20.3	0.5-21.6
3-2	19.6	20.0	15.8	16.3	16.5	10.1
	18.1-22.8	19.3-21.8	14.2-17.9	10.9-17.5	15.8-17.9	1.6-26.0
3-3					11.7	
4-1	1	1	1	1	1	2
4-2	5	5	5	5	5	3
4-3	2	2	1	1	1	2
5-1	1	3	1	3	3	1
5-2	4	6	4	6	6	3
6-1	3	3	3	3	3	2
6-2	1	4	3	4	3	1
6-3	1	1	1	3	1	1
6-4	2	3	2	3	2	1
7	1	1	1	4	1	1
8	1	1	1	1	1	1
9-1	1	2	1	3	3	2
9-2	2	2	3	3	3	2
9-3	A	A/B	B	B/C	C	B
10	1	2	2	2	2	2
11	no	no	no	with H4 clasts	no	no

1	<i>Meteorite</i>	1-1	A-87319	A-87320	A-87321	A-87322
	<i>Group & Type</i>	1-2	L3	H5	L6	H5
	<i>Weight (gr.)</i>	1-3	650.84	381.64	114.88	65.38
	<i>Dimension (cm)</i>	1-4	9.6x7.6x5.9	7.1x6.0x4.1	5.2x4.3x2.8	4.5x3.1x2.8
	<i>Thin Section No.</i>	1-5	111-1	81-1	61-1	51-1
	<i>Tent. Pairing</i>	1-6				
	<i>Bulk Comp.</i>	1-7				
2	<i>Fragmentation</i>	2-1	1	2	2	3
	<i>Shape</i>	2-2	2	2	2	3
	<i>Fusion Crust</i>	2-3	1	2	2	2
	<i>Evaporite</i>	2-4	2	2	1	2
	<i>Fracturing</i>	2-5	A/B	A/B	B	B
	<i>Structure</i>	2-6	1	1	1	3
	<i>Color</i>	2-7	2	2	3	5
	<i>Xenolith</i>	2-8	1	1	1	1
3	<i>Olivine, Fa</i>	3-1	10.0	17.9	25.0	17.7
	<i>Ol. Range</i>		0.4-33.3	17.2-18.5	24.2-26.2	17.1-18.7
	<i>Low-Ca Pyx., Fs</i>	3-2	6.6	15.7	21.0	15.5
	<i>Pyx. Range</i>		0.2-20.5	14.6-16.2	19.6-22.9	14.0-17.0
	<i>Plagioclase, An</i>	3-3				
	<i>Pl. Range</i>					
4	<i>Matrix</i>	4-1	2	1	1	1
	<i>Chond. Size</i>	4-2	3	5	5	5
	<i>Metal, Sulfide</i>	4-3	2	1	2	1
	<i>Meta. Pl</i>	5-1	1	2	3	2
	<i>Chondrule Gdm</i>	5-2	3	5	6	5
	<i>Ol-extinct.</i>	6-1	2	2	3	2
	<i>Crack, Vein</i>	6-2	1	1	1	1
	<i>Shock Pocket</i>	6-3	1	1	1	1
	<i>Shock Degree</i>	6-4	1	1	2	1
	<i>Breccia</i>	7	1	1	1	2
	<i>CAI, Xenolith</i>	8	1	1	1	1
	<i>Limonite</i>	9-1	1	1	2	1
	<i>Staining</i>	9-2	2	2	3	2
	<i>Weath. Index</i>	9-3	B	A/B	B	A
	<i>Fusion Crust</i>	10	2	1	2	2
	<i>Comments</i>	11	no	no	no	no

1-1	A-87323	A-87324	A-87325	A-87326	A-87327	A-87328
1-2	H5	H3	H5	H5	L6	H4
1-3	169.33	24.58	270.36	150.84	88.90	544.26
1-4	5.9x4.9x3.7	3.9x2.8x1.1	6.3x4.5x4.6	6.2x3.9x3.1	5.3x4.1x2.6	8.9x6.3x5.4
1-5	61-1	51-1	71-1	61-1	51-1	101-1
1-6						
1-7						
2-1	1	3	1	2	1	1
2-2	1	2	1	2	2	2
2-3	2	4	3	2	1	1
2-4	1	1	1	2	1	1
2-5	A/B	A/B	A/B	A	A	A/B
2-6	1	1	1	1	1	1
2-7	5	2	2	2	2	2
2-8	1	1	1	1	1	1
3-1	18.8	21.3	18.3	18.6	24.4	18.7
	17.8-20.0	14.1-26.3	17.2-19.1	17.1-20.0	23.1-25.4	17.4-22.5
3-2	16.4	17.2	16.0	16.1	20.7	16.3
	15.4-17.7	9.3-22.4	15.4-16.6	14.5-18.2	20.0-21.8	15.0-19.6
3-3						
4-1	1	2	1	1	1	1
4-2	5	3	5	5	5	5
4-3	1	1	1	1	2	1
5-1	2	1	2	2	3	1
5-2	5	3	5	5	6	4
6-1	3	3	2	3	3	3
6-2	3	1	1	4	1	1
6-3	1	1	1	1	1	1
6-4	2	2	1	3	2	2
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9-1	2	2	1	3	2	2
9-2	3	3	2	3	3	3
9-3	B	B/C	C	C	B	B
10	2	1	1	2	2	2
11	no	no	no	no	no	no

1	Meteorite	1-1	A-87329	A-87330	A-87331	A-87332
	Group & Type	1-2	H4	H4	H5	H4
	Weight (gr.)	1-3	203.20	467.39	914.24	483.25
	Dimension (cm)	1-4	7.8x4.8x5.5	9.6x5.7x4.5	10.1x8.9x6.3	9.1x7.6x4.6
	Thin Section No.	1-5	71-1	91-1	101-1	91-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	2	1	1	1
	Shape	2-2	3	3	3	3
	Fusion Crust	2-3	2	1	1	1
	Evaporite	2-4	1	2	2	2
	Fracturing	2-5	A	A/B	A/B	A/B
	Structure	2-6	1	1	1	1
	Color	2-7	2	5	3	5
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	18.2	16.7	18.6	18.2
	Ol. Range		17.2-19.4	16.0-17.4	17.5-19.8	17.4-19.2
	Low-Ca Pyx., Fs	3-2	15.9	15.1	16.4	16.0
	Pyx. Range		15.1-17.2	14.2-18.2	15.4-18.2	14.6-17.1
	Plagioclase, An	3-3				
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	1	1	1	1
	Meta. Pl	5-1	1	1	2	1
	Chondrule Gdm	5-2	4	4	5	4
	Ol-extinct.	6-1	3	3	3	3
	Crack, Vein	6-2	1	3	1	3
	Shock Pocket	6-3	1	1	1	1
	Shock Degree	6-4	2	2	2	2
	Breccia	7	1	1	1	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	1	2	2	2
	Staining	9-2	3	2	3	3
	Weath. Index	9-3	B	A/B	B	B
	Fusion Crust	10	2	2	2	2
	Comments	11	no	no	no	no

1-1	A-87333	A-87334	A-87335	A-87336	A-87337	A-87338
1-2	H4	H4	H4	H4	L5	H4
1-3	187.20	637.91	38.71	386.80	2642	524.72
1-4	6.7x4.8x4.1	9.7x8.5x5.0	3.9x2.6x2.3	7.6x5.6x4.3	14.7x13.6x10.0	8.3x6.9x5.1
1-5	61-1	101-1	51-1	81-1	51-1	101-1
1-6						
1-7						
2-1	1	1	1	1	2	1
2-2	3	2	2	2	3	1
2-3	1	1	1	1	2	1
2-4	2	1	3	2	3	3
2-5	A/B	A/B	A/B	A/B	B	A/B
2-6	1	1	1	1	1	1
2-7	5	5	2	5	5	2
2-8	1	1	1	1	2	1
3-1	16.9	18.7	18.0	18.4	24.9	17.3
	15.9-20.4	17.9-20.2	17.1-19.8	15.6-20.2	23.6-26.0	16.2-19.6
3-2	15.1	16.1	15.4	16.4	20.9	15.2
	13.0-18.1	15.4-16.8	13.3-16.6	15.0-18.6	19.3-22.1	14.2-16.2
3-3			10.8		10.4	
4-1	1	1	1	1	1	1
4-2	5	5	5	5	5	5
4-3	1	1	1	1	2	1
5-1	1	1	1	1	2	1
5-2	4	4	4	4	5	4
6-1	3	3	2	4	2	3
6-2	3	3	1	4	1	1
6-3	1	1	1	1	1	1
6-4	2	2	1	3	1	2
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9-1	2	2	2	3	1	2
9-2	3	3	3	3	2	3
9-3	B	B	B/C	B	A	B
10	2	3	3	3	2	2
11	no	no	no	no	no	no


1	Meteorite	1-1	A-87339	A-87340	A-87341	A-87342
	Group & Type	1-2	H4	H4	H4	H4
	Weight (gr.)	1-3	1103.15	127.46	514.79	417.49
	Dimension (cm)	1-4	10.1x5.9x5.0	6.2x4.0x3.1	8.5x7.3x5.6	8.6x5.3x4.3
	Thin Section No.	1-5	51-1	61-1	101-1	91-1
	Tent. Pairing	1-6				
	Bulk Comp.	1-7				
2	Fragmentation	2-1	1	1	1	2
	Shape	2-2	3	2	3	3
	Fusion Crust	2-3	1	1	1	2
	Evaporite	2-4	2	1	3	2
	Fracturing	2-5	A/B	A	A/B	B
	Structure	2-6	1	1	1	1
	Color	2-7	2	5	5	5
	Xenolith	2-8	1	1	1	1
3	Olivine, Fa	3-1	18.4	16.5	18.9	17.2
	Ol. Range		17.7-19.2	15.8-17.3	17.3-20.9	16.1-19.2
	Low-Ca Pyx., Fs	3-2	15.9	14.9	16.8	15.0
	Pyx. Range		14.6-17.3	13.1-18.1	15.1-19.6	13.9-17.0
	Plagioclase, An	3-3	14.6			
	Pl. Range					
4	Matrix	4-1	1	1	1	1
	Chond. Size	4-2	5	5	5	5
	Metal, Sulfide	4-3	1	1	1	1
	Meta. Pl	5-1	1	1	1	1
	Chondrule Gdm	5-2	4	4	4	4
	Ol-extinct.	6-1	3	3	3	3
	Crack, Vein	6-2	1	3	3	1
	Shock Pocket	6-3	1	1	2	1
	Shock Degree	6-4	2	2	2	2
	Breccia	7	1	1	4	1
	CAI, Xenolith	8	1	1	1	1
	Limonite	9-1	1	2	3	1
	Staining	9-2	2	3	2	2
	Weath. Index	9-3	A/B	B	B/C	A
	Fusion Crust	10	1	2	2	2
	Comments	11	no	no	with H6 clast	no

1-1	A-87344	A-87345	A-87346	A-87347	A-87349	A-87350
1-2	CV3	H4	CO3	L6	H5	H5
1-3	22.17	73.78	132.11	19.58	19.36	1268.84
1-4	2.9x2.3x1.7	4.2x3.2x3.3	5.2x5.5x3.4	3.1x2.4x1.7	4.6x2.1x1.5	13.8x7.3x7.1
1-5	19-1	51-1	61-1	51-1	51-1	51-1
1-6						
1-7						
2-1	1	2	1	1	3	1
2-2	2	2	3	2	2	2
2-3	2	2	1	1	2	2
2-4	3	2	1	2	1	3
2-5	C	B	A/B	A/B	B	A/B
2-6	3	1	1	3	1	1
2-7	5	2	5	5	2	2
2-8	1	1	1	1	1	1
3-1	8.0	17.9	11.6	24.5	18.3	17.7
	0.3-45.4	17.0-18.5	0.2-54.2	23.4-25.8	17.6-20.8	16.8-18.6
3-2	2.6	15.5	2.8	20.4	16.1	15.6
	0.5-13.9	14.1-16.5	0.1-11.4	19.9-20.9	15.0-17.1	15.2-16.0
3-3	82.0			10.0-10.6		
4-1	3	1	3	1	1	1
4-2	4	5	2	5	5	5
4-3	3	1	3	2	1	1
5-1	1	1	1	3	2	2
5-2	3	4	3	6	5	5
6-1	2	2	2	3	3	2
6-2	1	1	1	1	3	1
6-3	1	1	1	1	1	1
6-4	1	1	1	2	2	1
7	1	1	1	1	1	1
8	2	1	2	1	1	1
9-1	1	3	1	1	2	3
9-2	3	3	3	2	3	3
9-3	A/B	C	B/C	A	A/B	C
10	1	1	1	2	3	1
11	no	no	no	no	no	no

Table 3. Comments for Article 11 (noteworthy descriptions)	
Meteorite	Comments
A-87225:	with crystalline and LL6 clasts
A-87274:	with brecciated clasts


A-87031 (ureilite)

The section shows an aggregate of olivine and pyroxene up to 3 mm, which meet in triple junction. Most grains are rimmed by black materials.




A-87106 (mesosiderite)

The section is composed of granular to angular orthopyroxene and minor plagioclase, and irregular metal grains up to 1 mm, set in a recrystallized matrix. Some orthopyroxene grains contain inclusions of plagioclase and silica minerals. Pyroxene shows sharp optical extinction and no shock effects are observed.




A-87122 (eucrite)

This section shows an aggregate of coarse pyroxene and plagioclase (<2 mm in size) with minor amount of silica, oxides and troilite. This rock is shocked and brecciated. Pyroxene and plagioclase show a mosaic extinction.




A-87146 (diogenite)

This section shows a breccia of coarse orthopyroxene (<4 mm) set in a clastic matrix. Chromite, troilite, and Fe-metal occur as minor phases.



A-87147 (diogenite)

This section consists of large orthopyroxene (~5 mm) with a portion of granulitic texture. Minor phases include chromite, troilite, and Fe-metal.



A-87272 (eucrite)

This section shows an aggregate of elongated, angular to irregular plagioclase and pyroxene (<1.6 mm) with minor amount of opaques and silica minerals. A portion of the section shows granulitic texture. This rock is highly shocked. Almost all plagioclases are converted into maskelynite.

